

# Naturglue Premium



Ecological adhesive repairing mortar with graphene  
**SUPER FLEXIBLE**



Ideal for bonding tiles, ceramics and as an anchor for insulation boards (EIFS) in rehabilitation, restoration, and new works.


**13 Kg + 4.5 Kg** (Bi-component)  
Naturglue Premium + \*Kalgraphin Premium

\*Kalgraphin Premium is a liquid lime putty with graphene for mortars preparation.

**Performance:**  
**5 Kg/m<sup>2</sup>** (5 mm)

## Main features

DRYING (between coats)	24-48 hours
DRYING (protection)	24 hours
DRYING (painting)	4 days
DRYING (tiles / EIFS)	7 days
APPLICATION TOOLS:	
- Preparation	Mechanical agitator, bucket.
- Application	Trowel, notched trowel.
- Finishing	Finishing trowel, brush.
TOOLS CLEANING	Water
PRODUCT APPEARANCE	Sand colour



## Transform your HOME into a TREE by painting with GRAPHENSTONE\*



\*Three 15 litre pots of our paint absorbs more than 10Kg of CO<sub>2</sub>. This is the same amount an adult tree weighing 250kg would absorb in one year.

More information at:  
[www.myhomeisatree.com](http://www.myhomeisatree.com)



World's  
**Best Certified**  
Brand



More than 13  
National & International  
Awards

## PAINTS FOR THE *green* GENERATION

### GRAPHENSTONE

THE ORIGINAL & AUTHENTIC

GRAPHENSTONE CANADA  
17-280 Edward Street E. St. Thomas  
Ontario N5P 4C2  
Phone: 1-519-488-5200  
Toll Free: 1-888-840-0153  
[info.canada@graphenstone.com](mailto:info.canada@graphenstone.com)  
[www.graphenstone.ca](http://www.graphenstone.ca)

IEdiSA, SA. © Copyright 2019. All rights reserved.

# GRAPHENSTONE

THE ORIGINAL & AUTHENTIC

## Mortars Premium

### NATURAL LIME MORTARS WITH GRAPHENE TECHNOLOGY



[www.graphenstone.ca](http://www.graphenstone.ca)

# MortarBase Premium



Ecological rendering mortar with graphene  
**COARSE FINISH**

Ideal for rendering and grouting. Also for rehabilitation and restoration projects. It is used as a first regulating coat as it contains coarse aggregates.



**13.5 Kg + 4.5 Kg** (Bi-component)  
MortarBase Premium + \*Kalgraphin Premium

\*Kalgraphin Premium is a liquid lime putty with graphene for mortars preparation.

**Performance:**  
**20 Kg/m<sup>2</sup>** (12 mm)

## Main features

DRYING (between coats)	24-48 hours
DRYING (plastering)	24-48 hours
APPLICATION TOOLS:	
- Preparation	Mechanical agitator, bucket.
- Application	Masonry brush, trowel, double-mix projecting machine, level.
- Finishing	Notched trowel or similar, sponge trowel.
TOOLS CLEANING	Water
FINISH	Coarse

# MortarFine Premium



Ecological rendering mortar with graphene  
**FINE FINISH**

Ideal for plastering or parging. Also for rehabilitation and restoration projects.



**13.5 Kg + 4.5 Kg** (Bi-component)  
MortarFine Premium + \*Kalgraphin Premium

\*Kalgraphin Premium is a liquid lime putty with graphene for mortars preparation.

**Performance:**  
**3 Kg/m<sup>2</sup>** (2-3 mm)

## Main features

DRYING (between coats)	24-48 hours
DRYING (painting)	4 days
APPLICATION TOOLS:	
- Preparation	Mechanical agitator, bucket.
- Application	Trowel.
- Finishing	Finishing trowel.
TOOLS CLEANING	Water
FINISH	Fine

# MortarSuper Premium



Ecological rendering mortar with graphene  
**SUPER FINE FINISH**

It is applied as a final finishing coat for high-decoration finishes such as ironing, texturized, combed, etc. Ideal for plastering or parging. Also rehabilitation and restoration projects.



**11.25 Kg + 4.5 Kg** (Bi-component)  
MortarSuper Premium + \*Kalgraphin Premium

\*Kalgraphin Premium is a liquid lime putty with graphene for mortars preparation.

**Performance:**  
**3.5 Kg/m<sup>2</sup>** (1-2 mm)

## Main features

DRYING (between coats)	24-48 hours
DRYING (painting)	4 days
APPLICATION TOOLS:	
- Preparation	Mechanical agitator, bucket.
- Application	Trowel.
- Finishing	Finishing trowel.
TOOLS CLEANING	Water
FINISH	Super fine



BREATHABLE  
ABSORBS CO<sub>2</sub>



HIGH ADHERENCE  
AND FLEXIBILITY



LOW WATER  
ABSORPTION

**COARSE  
FINISH**



BREATHABLE  
ABSORBS CO<sub>2</sub>



HIGH ADHERENCE  
AND FLEXIBILITY



LOW WATER  
ABSORPTION

**FINE  
FINISH**



BREATHABLE  
ABSORBS CO<sub>2</sub>



HIGH ADHERENCE  
AND FLEXIBILITY



LOW WATER  
ABSORPTION

**SUPER FINE  
FINISH**