



Ecological adhesive repairing mortar with graphene **SUPER FLEXIBLE**



Ideal for bonding tiles, ceramics and as a anchor for insulation boards (EIFS) in rehabilitation, restoration and new works.


13 Kg + 4.5 Kg (Bi-component) Naturglue Premium + *Kalgraphin Premium

*Kalgraphin Premium is a liquid lime putty with graphene for mortars preparation.

Performance: **5 Kg/m**² (5 mm)

Main features

DRYING (between coats)	24-48 hours
DRYING (protection)	24 hours
DRYING (painting)	4 days
DRYING (tiles / EIFS)	7 days
APPLICATION TOOLS:	
- Preparation	Mechanical agitator, bucket.
- Application	Trowel, notched trowel.
- Finishing	Finishing trowel, brush.
TOOLS CLEANING	Water
PRODUCT APPEARANCE	Sand colour



Transform your **HOME** into a **TREE** by painting with **GRAPHENSTONE***



*Three 15 litre pots of our paint absorbs more than 10Kg of CO₂. This is the same amount an adult tree weighing 250kg would absorb in one year.

More information at: www.myhomeisatree.com



World's **Best Certified**Brand



More than 13 National & International **Awards**

PAINTS FOR THE GENERATION

GRAPHENSTONE

THE ORIGINAL & AUTHENTIC

GRAPHENSTONE CANADA 17-280 Edward Street E. St. Thomas Ontario N5P 4C2 Phone: 1-519-488-5200 Toll Free: 1-888-840-0153 info.canada@graphenstone.com www.graphenstone.ca

IEdiSA, SA. © Copyright 2019. All rights reserved.



MortarBase









MortarSuper





Ecological rendering mortar with graphene **COARSE FINISH**



Performance: 20 Kg/m² (12 mm)

Ideal for rendering and grouting. Also for rehabilitation and restoration projects. It is used as a first regulating coat as it contains coarse aggregates.

13.5 Kg + 4.5 Kg (Bi-component) MortarBase Premium + *Kalgraphin Premium

*Kalgraphin Premium is a liquid lime putty with graphene for mortars preparation.

Ecological rendering mortar with graphene **FINE FINISH**



Performance: 3 Kg/m² (2-3 mm) Ideal for plastering or parging. Also for rehabilitation and restoration projects.

13.5 Kg + 4.5 Kg (Bi-component) MortarFine Premium + *Kalgraphin Premium

*Kalgraphin Premium is a liquid lime putty with graphene for mortars preparation.

Ecological rendering mortar with graphene **SUPER FINE FINISH**



MortarSuper Premium + *Kalgraphin Premium *Kalgraphin Premium is a liquid lime putty with Performance: 3.5 Kg/m² (1-2 mm)

projects.

graphene for mortars preparation.

11.25 Kg + 4.5 Kg (Bi-component)

It is applied as a final finishing coat

for high-decoration finishes such as

Ideal for plastering or parging. Also rehabilitation and restoration

ironing, texturized, combed, etc.

Main features

DRYING (between coats)	24-48 hours
DRYING (plastering)	24-48 hours
APPLICATION TOOLS:	
- Preparation	Mechanical agitator, bucket.
- Application	Masonry brush, trowel, double-mix
	projecting machine, level.
- Finishing	Notched trowel or similar, sponge trowel.
TOOLS CLEANING	Water
FINISH	Coarse

Main features

DRYING (between coats)	24-48 hours
DRYING (painting)	4 days
APPLICATION TOOLS:	
- Preparation	Mechanical agitator, bucket.
- Application	Trowel.
- Finishing	Finishing trowel.
TOOLS CLEANING	Water
FINISH	Fine

Main features

DRYING (between coats)	24-48 hours
DRYING (painting)	4 days
APPLICATION TOOLS:	
- Preparation	Mechanical agitator, bucket.
- Application	Trowel.
- Finishing	Finishing trowel.
TOOLS CLEANING	Water
FINISH	Super fine





